

AN AWARENESS STUDY OF HIV/AIDS AMID ADOLESCENCE

Dr. Mini Jain

Assistant Professor, Institute of Business Management, GLA University, Mathura, Sector 3,
House no 62, Radhapuram Estate, Mathura 281004

Email: mini.jain@gla.ac.in

ABSTRACT

More youthful understudies are introduced to the threat of life overcomers of 'HIV/AIDS' - which was exceptionally dark to their progenitors a couple of years earlier. It is seen that there's a gaping amongst commitments to the 'HIV/AIDS' instructive arrangement for schools and therefore the certified guidance that's presented. As children are an enormous resource for the inevitable destiny of a rustic, it's essential that they ought to be provided with satisfactory proportion of data so on guarantee themselves and their accomplices to be an overcomer of this still-a genuine killer disease. This investigation is done to decide the information and familiarity with 'HIV/AIDS' among some senior optional school understudies of Mathura. The motivation behind this investigation was to give fundamental information on 'HIV/AIDS' information and mindfulness among youngsters. The proposed paper would focus on the importance & need of educating the students for prevention of HIV/AIDS. This paper therefore highlights the need & importance of learning to achieve the change in behavior of a person to make this world "zero new infections, zero discrimination and zero AIDS-related deaths."

Key words: Information, Consciousness, 'HIV/AIDS', Youngsters, infections, school.

INTRODUCTION

In 1983, researchers confined what seemed, by all accounts, to be another human retro-virus. By and by around 40 million individuals live with 'HIV/AIDS' the planet over. As per the United Report focused on the way that examining sex is no-no in numerous nations, hence keeping a huge number from getting individuals particularly the 15-24 age bunch the elemental data to rearrange sexual activity.

Auxiliary school understudies in young adult age which is that the time they begin to be keen on sexual connections. The children are at a phase once they might got to explore different avenues regarding sex without giving tons of thought to the ramifications of their current conduct. Is all the more upsetting that the foremost tainted and influenced casualties of 'HIV/AIDS' are the young people? HIV continuously pulverizes the body's capacity to battle contaminations and certain malignant growths. People determined to have AIDS may get perilous maladies called sharp diseases like pneumonia or tuberculosis. These diseases are brought about by microorganisms, for example, infection or microscopic organisms that typically don't make solid individuals debilitated. Helps is the last phase of HIV disease, and hazardously brings down the quantity. The infection must be sent through individual to individual, not through creature or bug bite. HIV can't get by for long external the body. Individuals tainted with HIV who are taking antiretroviral treatment can at present contaminate others. One might be at expanded danger of getting contaminated with HIV through unprotected sex, needle sharing, and introduction to infection as embryo or baby

previously or during birth or through bosom taking care of from a mother, tainted with AIDS. Individuals who have been contaminated as of late with HIV frequently have not many to no indications, yet are very irresistible and may unwittingly send the infection to other people. Ordinary HIV screening permits medical care suppliers to distinguish individuals who don't know about their contamination.

This incorporates essentially improving admittance to existing demonstrated strategies for forestalling HIV transmission. Simultaneously, the world urgently needs new anticipation devices in the battle against HIV/AIDS, and new innovations that will work with and supplement existing counteraction strategies.

Further youthful understudies of nowadays are introduced to the peril of being losses of 'HIV/AIDS' which was extremely dark to their heralds two or thirty years earlier. The erupt of 'HIV/AIDS' is presently progressing at a quick development among adolescents. Studies have declared that youths structure a basic segment of these getting to unequivocally conveyed defilement (STI) offices and people polluted by HIV. Guidance must be provided as a preventive gadget. To make a person learn some reward is necessary, hence the students should be taught that after having infected HIV is not a reward. As youths are a big resource for the inevitable destiny of a rustic, it's vital that they ought to be outfitted with sufficient proportion of data so on guarantee themselves and their accomplices to be a loss of this still-a genuine killer disease.

OBJECTIVES

With this foundation, the current investigation was led with the accompanying targets:

- (i) To survey the consciousness of younger students with respect to HIV/AIDS.
- (ii) To give recommendations to class AIDS instruction.

SAMPLE DESIGN

A sum of 502 understudies having a place with Classes IX to XI in 10 schools of Mathura took an interest in the investigation. The reaction pace of understudies was 100%. The investigation was led over a time of around 2 months from January 2018 to February 2018. The understudies were controlled a pre-planned survey, which incorporated various decision questions. Information were entered and examined utilizing SPSS variant 12.0 by methods for basic correlation of extents.

RESULTS AND DISCUSSION

Table 1: Shows Applicants general information

Age of participants (in Years)		14	15	16	17	Total
Gender	Male	28 (5.57%)	41 (8.17%)	112 (22.31%)	61 (12.15%)	242 (48.20%)
	Female	33 (6.57%)	50 (9.96%)	90 (17.93%)	87 (17.33%)	260 (51.79%)
Total		61 (12.15%)	91 (18.13%)	202 (40.24%)	148 (29.48%)	502 (100%)

A sum of 502 understudies having a place with Classes IX to XI in 10 schools of Mathura took an interest in the investigation. The reaction pace of understudies was 100%. The investigation was led over a time of around 2 months from January 2014 to February 2014. The understudies were controlled a pre-planned survey, which incorporated various decision questions. Information were entered and examined utilizing SPSS variant 12.0 by methods for basic correlation of extents.

Table 2: Shows applicants' qualification status

Education participants		IX class	X class	XI class	Total
Gender	Male	75 (14.94%)	79 (15.73%)	88 (17.53%)	242 (48.20%)
	Female	73 (14.54%)	84 (16.73%)	103 (20.52%)	260 (51.79%)
Total		148 (29.48%)	163 (32.47%)	191 (38.05%)	502 (100%)

Out of the total 502 participants, 242 (48.20%) were male students from IX, X, and XI class and 260 (51.79%) were female students from these classes. Among male participants, 17.53% were from XI class and 20.52% of female participants were from same class. Again, nearly half of the respondents were females (51.79%).

Table 3: Shows Sources of information regarding 'HIV/AIDS'

Responses of studied participants	No. of Respondents
Friends	388 (77.29%)
Television	348 (69.32%)
Health Workers/Social Workers	93 (18.53%)
Newspapers	63 (12.55%)
Radio	48 (9.56%)
Magazines	18 (3.59%)
Others (Wall Slogans/Billboards)	40 (7.97%)

The principle wellsprings of knowledge with reference to 'HIV/AIDS' were companions and television. Different sources were unique visits by wellbeing laborers or societal specialists, papers, radio, periodicals etc. plus divider trademarks or bulletins.

Table 4: Distribution of study participants according to their knowledge about HIV/AIDS- Correct Responses

Responses of studied participants	No. of Respondents
Known about 'HIV/AIDS'	502 (100%)
Full type of 'HIV'	465 (92.63%)
Full structure 'AIDS'	465 (92.63%)
Causative operator of 'HIV/AIDS' as infection	397 (79.08%)
Image of 'HIV/AIDS' mindfulness is red-lace	386 (76.89%)
'HIV/AIDS' can be forestalled	216 (43.03%)

No immunization for 'HIV/AIDS'	192 (38.25%)
'HIV/AIDS' status can be affirmed by blood test.	379 (75.49%)
Imparting a dinner to 'HIV/AIDS' contaminated individual won't communicate the infection.	230 (45.82%)
Embracing and shaking with 'HIV/AIDS' sent individual won't send HIV infection	286 (56.97%)
Mosquito chomp from 'HIV/AIDS' tainted individual won't communicate HIV infection	155 (30.88%)
Utilizing public latrines won't spread HIV infection	271 (53.98%)
Tainted blood bonding will spread HIV infection	365 (72.71%)
IV drug misuse will spread HIV infection	170 (33.86%)
Sharing infusion, needles and razors with a HIV tainted individual will communicate HIV infection	386 (76.89%)
Sexual interaction with 'HIV' influenced individuals will spread 'HIV' infection	330 (65.74%)
Loyal and contaminated sexual accomplice will shield them from HIV/AIDS	345 (68.73%)

100% of respondents had caught wind of 'HIV/AIDS' albeit 92.63% had the option to compose the full type of HIV and AIDS. Around 79.08% realized that causative specialist of 'HIV/AIDS' as infection, 76.89% respondents knew about image of 'HIV/AIDS' as red lace. 43.03% of respondents realized that 'HIV/AIDS' can be forestalled. 38.25% respondents accept that there is no immunization for HIV/AIDS, while 75.49% realized that 'HIV/AIDS' can be affirmed by blood test. 45.82% of respondents realized that offering a dinner to 'HIV/AIDS' contaminated individual won't send HIV infection, while 56.97% respondents realized that Hugging and shaking with 'HIV/AIDS' tainted individual won't communicate HIV infection. 30.88% respondents realized that mosquito nibble from 'HIV/AIDS' contaminated individual won't send HIV infection while 53.98% realized that utilizing public latrines won't spread HIV infection.

Among the examined respondents, 72.71% respondents realized that tainted blood bonding will spread HIV infection, while 33.86% of members realized that IV drug misuse will spread HIV infection. Other than that, 76.89% respondents realized that sharing infusion, needles and razors with a HIV tainted individual will send HIV infection, and 65.74% respondents realized that sexual contact with HIV influenced individuals will spread HIV infection, while 68.73% of respondents accepts that reliable and contaminated sexual accomplice will shield them from HIV/AIDS.

CONCLUSION

Mindfulness is the way to avoidance of HIV/AIDS. It was seen that through the overall degree of information and consciousness of young adult auxiliary school understudies in Mathura on 'HIV/AIDS' that dominant part of the respondents had known about the ailment. It is additionally turning out to be certain that the understudy's dependable methods for acquiring right data regarding the matter of 'HIV/AIDS' are through companions and TV. It suggests advancing TV as an enormous wellspring of knowledge. A more noteworthy inclusion of medium can likewise be a financially savvy measure. Companions can likewise be made instrumental in spreading data through incessant inspiration. The first driver of communicating 'HIV/AIDS' hooked in to the respondents are sex, utilization of needles and needles on physical body, and bonding of contaminated blood. Additionally the overwhelming majority of the respondents perceive the causative specialist of 'HIV/AIDS' is infection.

The discoveries in the current examination repeat the requirement for re-implementing school AIDS training. It is suggesting that the school specialists and different offices concerned ought to approach to plan mindfulness lobbies to serve the understudies to assist them with creating appropriate comprehension of what 'HIV/AIDS' is, the manner by which it's spread, and the way it's forestalled. It's additionally suggested that institute libraries need to be related to exercises which will advance simple access and recovery of 'HIV/AIDS' data materials, and furthermore contribution of auxiliary teachers in instructing understudies on 'HIV/AIDS' and furthermore incorporation of a specific section on 'HIV/AIDS' within the school program which could help in forestalling and controlling the spread of the pandemic generally. This incorporates essentially improving admittance to existing demonstrated strategies for forestalling HIV transmission. Simultaneously, the world urgently needs new anticipation devices in the battle against HIV/AIDS, and new innovations that will work with and supplement existing counteraction strategies. Extending HIV treatment is a worldwide goal, however it isn't possible in separation. To arrive at the tipping point against AIDS "well-positioned to provide leadership in how to talk to young people about difficult subjects like HIV & AIDS"

References

- 1) Agarwal, H.K., Rao, R.S., Chandrashekar, S. and Coulter, J.B. (1999). "Knowledge of and attitudes to 'HIV/AIDS' of senior secondary school pupils and trainee teachers in Udupi district, Karnataka, India", *Ann Trop Paediatr*, Vol. 1: 143-149.
- 2) Aggarwal A.K., Kumar R. (1996). "AIDS awareness among school children in Haryana" *Indian Journal of Public Health*, Vol. 40: 38-45.
- 3) Beeker, C., Guenther-Grey, C., and Raj, A. (1998). "Community empowerment paradigm drift and the primary prevention of HIV/AIDS", *Social Science and Medicine*, Vol. 46 (7): 831-842.
- 4) Benara, S.K., Khelendra, R.K., Chaudhary, B.N., Ramaswamy, J., et al. (1992). "AIDS - a survey of knowledge, attitudes & beliefs of undergraduate students of Delhi University", *Indian J. Com. Medicine*, Vol. 17 (4): 155-159.
- 5) Bhalla, S., Chandwani, H., Singh, D., Somasundaram, C., Rasania, S.K., Singh, S. (2005). "Knowledge about 'HIV/AIDS' among senior secondary school students in Jamnagar, Gujarat", *Health Population Perspective Issues*, Vol. 28: 178-188.
- 6) Blanchard, L. (1999). "Community assessment and perception: Preparations for HIV efficacy trials", in King, N. et al., (ed.), *Beyond Regulations: Ethics in Human Subjects Research*, Chapel Hill: The University of North Carolina Press.

- 7) Campbell, C. and Mazaidume, Z. (2001). "Grassroots participation, peer education, and HIV prevention by sex workers in South Africa", *American Journal of Public Health*, Vol. 91 (12): 1978-1986.
- 8) Chandrasekhar R.B., et al. (2013). "Knowledge regarding 'HIV/AIDS' among secondary school students in Khammam town, Andhar Pradesh", *Int J Res Dev Health*, Vol. 1(3): 103-108.
- 9) Chatterjee, C., Baur, B., Ram, R., Dhar, G., Sandhukhan, S., Dan, A. (2001). "A study on awareness of AIDS among school students and teachers of higher secondary schools in north Calcutta", *Indian Journal of Public Health*, Vol. 45: 27-30.
- 10) Egger, M., Ferrie, J., Gorter, A., Gonzalez, S., et al. (1993). "HIV/AIDS-related knowledge, attitudes, and practices among Managuan secondary school students", *Bull Pan Am Health Organ*, Vol. 27: 360-369.
- 11) Fawole, I.Q., Asuzu, M.C., Oduntan, S.O., Brieger, W.R. (1999). "A school-based AIDS education programme for secondary school students in Nigeria: A review of effectiveness", *Health Educ Res*, Vol. 14: 675-683.
- 12) Gaash B., Ahmad M., Kasur, R. and Bashir, S. (2003). "Knowledge, attitude and belief on 'HIV/AIDS' among the female senior secondary students in Srinagar district of Kashmir", *Health and Population-Perspectives and Issues*, Vol. 26 (3): 101-109.
- 13) Ganguli, S.K., Rekha, P.P., Gupte, N., Charan, U.A. (2002). "AIDS awareness among undergraduate students, Maharashtra", *Indian Journal of Public Health*, Vol. 46: 8-12.
- 14) Harrington, M. (2009). "Community involvement in HIV and Tuberculosis Research", *Journal of the Acquired Immune Deficiency Syndrome*, Vol. 52: 63-66.
- 15) Lal, P., Nath, A., Badhan, S., Ingle, G.K. (2008). "A study of awareness about 'HIV/AIDS' among senior secondary school children of Delhi", *Indian J Community Med*, Vol. 33 (3): 190-192.
- 16) Lal, S.S., Vasan, R.S., Sharma, P.S., Thankappan, K.R. (2000). "Knowledge and attitude of college students in Kerala towards HIV/AIDS, sexually transmitted diseases and sexuality". *Natl Med J India*, Vol. 13 (5): 231-236.
- 17) Mansoor, A.B., Fungladda, W., Kaewkungwal, J., Wongwit, W. (2008). "Gender differences in KAP related to 'HIV/AIDS' among freshmen in Afghan universities", *Southeast Asian J Trop Med Public Health*, Vol. 39 (3): 404-418.
- 18) McGrath, J.W., Svilar, G.K., Ihler, E., Mafigiri, D., Kabugo, M., and Mugisha, E. (2001). "Knowledge about vaccine trials and willingness to participate in an 'HIV/AIDS' vaccine study in the Ugandan military", *Journal of Acquired Immune Deficiency Syndromes*, Vol. 27 (4): 381-388.
- 19) Morin, S., Maiorana, A., Koester, K.A., Sheon, N., and Richards, T.A. (2003). "Community consultation in HIV prevention research: A study of community advisory boards at 6 research sites", *Journal of Acquired Immune Deficiency Syndromes*, Vol. 33: 513-520.
- 20) Morisky, D., Ang, A., Coly, A., and Tiglaio, T.V. (2004). "A model 'HIV/AIDS' risk reduction program in the Philippines: A comprehensive community-based approach through participatory action research", *Health Promotion International*, Vol. 19 (1): 69-76.
- 21) Newman, P.A., Duan, N., Rudy, E.T., Anton, P.A. (2004). "Challenges for HIV vaccine dissemination and clinical trial recruitment: If we build it, will they come?" *AIDS Patient Care and STDs*, Vol. 8 (12): 691-701.
- 22) Okonta, J.M., Momoh, M.A., Ekwunife, O.I., Mbagwu, I.S., Abali, S.O. (2007). "Assessment of 'HIV/AIDS' awareness and changes in sexual practices among secondary school students in Nsukka environment", *Trop Doct*, Vol. 37: 269-271.

- 23) Ramirez-Valles, J. (2002). "The protective effects of community involvement for HIV risk behaviour: A conceptual framework", *Health Education Research*, Vol. 17 (4): 389-403.
- 24) Ruma, M.M. (2009). "Knowledge and awareness of 'HIV/AIDS' among some senior secondary school students in Katsina, Nigeria", *Bayero Journal of Pure and Applied Sciences*, Vol. 2 (2): 121-126.
- 25) Sankaranarayan, S., Naik, E., Reddy, P.S., Gurunani, G., Ganesh, K., et al. (1996). "Impact of school-based HIV and AIDS education for adolescents in Bombay, India", *Southeast Asian J Trop Med Public Health*, Vol. 27: 692-695.
- 26) Siegel, D., Lazarus, N., Krasnovsky, S., Durbin, M., Chesney, M. (1991). "AIDS knowledge, attitudes, and behavior among inner city, junior high school students", *J Sch Health*, Vol. 61: 160-165.
- 27) Singh, S.K., Saxena, A., Krishna, G. (2007). "A profile of HIV infection/AIDS related knowledge among female students of Kanpur district, India", *Kathmandu Univ Med Journal*, Vol. 5 (1): 27-31.
- 28) Sodhi, S., Mehta, S. (1997). "Level of Awareness about AIDS: A comparative study of girls of two senior secondary schools of Chandigarh", *Man India*, Vol. 77: 259-266.
- 29) Strauss, R. (1999). "Community advisory board-Investigator relationships in community-based 'HIV/AIDS' research", in King, N. et al., (ed.), *Beyond Regulations: Ethics in Human Subjects Research*, Chapel Hill: The University of North Carolina Press.
- 30) Strauss, R., Sengupta, S., Kegeles, S., McLellan, E., Metzger, D., Eyre, S., Khanani, F., Emrick, C.B., and MacQueen, K.M. (2001). "Willingness to volunteer in future preventive HIV vaccine trials: Issues and perspectives from three U.S. communities", *Journal of Acquired Immune Deficiency Syndromes*, Vol. 26: 63-71.
- 31) Wagbatsoma, V.A., Okojie, O.H. (2006). "Knowledge of 'HIV/AIDS' and sexual practices among adolescents in Benin City, Nigeria", *Afr J Reprod Health*, Vol. 10: 76-83.
- 32) Woodsong, C. and Karim, Q. (2005). "A model designed to enhance informed consent: Experiences from the HIV prevention trials network", *American Journal of Public Health*, Vol. 95 (3): 412-419.
- 33) Yadav, S.B., et al. (2011). "Awareness of 'HIV/AIDS' among rural youth in India: A community based cross-sectional study", *J Infect Dev Ctries*, Vol. 5 (10): 711-716.
- 34) Yazdi, C.A., Aschbacher, K., Arvantaj, A., Naser, H.M., Abdollahi, E., Asadi, A., et al. (2006). "Knowledge, attitudes and sources of information regarding 'HIV/AIDS' in Iranian adolescents", *AIDS Care*, Vol. 18: 1004-1010.